

ENOZOPRO SPRAY BOTTLE USER MANUAL

en

jp



RoHS



CE



EC Declaration of Conformity

1 August, 2017

We declare, under our own responsibility, that the following product, SB-100, which is covered by this declaration of conformity, complies with the EC Low Voltage Directive 73/23/EEC and with the EMC Directive 2004/108/EC, and is in conformity with the following harmonized standard: EN 60335-1:2012 and EN 55014:2012.

The CE marking is affixed to the device according to the EC directives.

Carl D. Lutz

Carl D. Lutz
Director of Manufacturing

CE

This document reflects the technical status at the time of the revision.
We reserve the right to make changes.

CONTENTS

- 1 Safety3**
 - 1.1 Symbols from the User Manual..... 3
 - 1.2 Proper Use 3
 - 1.3 Caution 3
 - 1.4 Important Instructions.....4

- 2 Technical Data4**

- 3 Description.....5**
 - 3.1 Description 5
 - 3.2 Key Components 5
 - 3.3 Operating Instructions..... 6

- 4 Preventive Maintenance/Cleaning8**

- 5 Troubleshooting.....8**
 - 5.1 Indicator Lights on Top of Bottle 8

- 6 Decommissioning (Storage/Disposal).....9**
 - 6.1 Storage 9
 - 6.2 Disposal..... 9

- 7 Service 10**
 - 7.1 Service and Warranty 10
 - 7.2 Service Network -U.S. & Canada 10



IMPORTANT!

Before initial use, the instructions on operating safety, use and maintenance must be read carefully and understood. Keep the user manual in the vicinity of the appliance for later reference.

1.1 SYMBOLS FROM THE USER MANUAL



CAUTION

CAUTION indicates a potentially hazardous situation which, if not avoided, may result in minor or moderate injury.



NOTICE

NOTICE indicates a situation which, if not avoided, may result in damage to the appliance.



Important information can be found here.

1.2 PROPER USE

The EnozoPRO Spray Bottle is intended for residential, commercial and industrial use. It is designed for safe operation when used as directed. The following general safety precautions provide guidance for safe use. Failure to comply with the safety precautions or warnings indicated in this manual violates the safety standards of this equipment. The manufacturer assumes no liability for the user's failure to comply with these requirements.



- Read manual before use.
- It may only be used for its intended purpose.
- Product is intended for residential, industrial and commercial use.
- Do not remove warning labels from unit.
- Fill with clean, potable water only.
- Do not immerse unit in water. Clean exterior of unit with soft cloth. Do not use harsh or abrasive cleaners.
- Do not add any cleaning chemicals into the water reservoir.

1.3 CAUTION



Do not spray toward eyes. In case of eye exposure rinse affected eye(s) thoroughly with clean water for 5 to 10 minutes. If irritation persists, seek medical attention.

- Use only properly ventilated area in conformance to all local and national regulations.
- If overly strong odor of ozone is detected discontinue use.
- If respiratory irritation is experienced discontinue use immediately.
- Do not expose plastic sprayer to extreme heat or open flame.
- Keep out of the reach of children.
- Do not drop sprayer.

1.4 IMPORTANT INSTRUCTIONS

NOTICE



To avoid appliance damage:

Do not drop the bottle.

- Dropping the bottle may cause breakage.

Fill with clean potable water only.

- Filling the bottle with fluids other than clean potable water may damage electrolytic cell and render the product useless.

Do not overfill the bottle.

- Overfilling may cause leakage at the fill plug.

Do not run water into the charger port.

- Doing so may short the battery/electronics .
-

2 TECHNICAL DATA

SPECIFICATIONS SB-100	
Materials	PC/ABS Impact Resistant Plastic
Weight (empty)	~ 2lb (0.9 kg)
Dimensions in (mm)	4 in x 4 in x 11 in (100 mm x 100 mm x 280 mm)
Reservoir Capacity	14 oz (400 ml)
Water Temperature	40 °F to 86 °F (4 °C to 30 °C)
Water Quality	Hardness ≤ 250 ppm CaCO ₃ (May Extend Life of Unit) Conductivity >50 µS/cm (Do not use distilled or deionized water)
Ambient Air	40 °F to 104 °F (4 °C to 40 °C)
Rechargeable Battery	7.4 V Li-Ion (Charger uses 100 V AC to 240 V AC, 50/60 Hz)
Useful Battery life	5000 Reservoir Fills or 500 Charges (Typical)
Model Number	SB-100
Certifications	CE, TUV, RoHS, WEEE
EPA Establishment Number	089373-MA-001

3 DESCRIPTION


3.1 DESCRIPTION

The EnozoPRO Spray Bottle offers a water-based alternative to traditional cleaners and sanitizers. It turns potable water into aqueous ozone, a sanitizer that kills 99.9% of the following common pathogens* found on hard, non-porous surfaces: e-coli, salmonella, pseudomonas aeruginosa, and staphylococcus, and destroys organic odors. *For additional pathogens see Enozo Efficacy Sheet.

The tiny electrolytic cell is created from a proprietary diamond process technology and generates ozone on-demand from water itself. Water exists in the reservoir and the ozone is activated on-demand, creating the sanitizer. This eliminates inventory of many chemicals and the constant need to repurchase supplies. Furthermore, it leaves no residue.

3.2 KEY COMPONENTS

1. Indicator LEDs
2. Charging Port
3. Spray Nozzle
4. Diamond Cell
5. Spray Trigger
6. Fill Plug
7. Water Reservoir
8. Battery and Control Electronics



NOTE: Product may vary from illustrations

Water Based Sanitizer

- Proven sanitizer
- Reduces common pathogens*
- Destroys odor-causing microorganisms
- Ensures efficacy and compliance to regulations

Dependable, On-Demand Solution

- Ozone (O₃) is activated as-needed
- Runs on long lasting rechargeable batteries
- Requires only clean, potable water
- User-friendly lights indicate when sanitizer is active

Alternative

- Leaves behind no residues
- Compatible with all surfaces where water may be used
- Eliminates potential errors with mixing or diluting
- Ingredients by weight:
 - 99.9998% Water
 - 0.0002% Ozone
 - No fragrance added

3.3 OPERATING INSTRUCTIONS

IMPORTANT: Please read these instructions completely before use.


Use this product to sanitize hard, non-porous, non-food contact and food contact surfaces.

- Tables and countertops
- Kitchen surfaces
- Bathroom surfaces
- Doors and handles
- Pet accident odors
- Windows


Charge the Unit

Before using the sprayer for the first time, charge the batteries. The first charge may take up to 4 hours. The red light on the charger indicates that the device is being charged. The charge is complete when the light on the charger is green. Note: The spray bottle will not operate while connected to the battery charger.

Connect the battery charger to a 100-240 V AC 50/60 Hz power source. Connect the battery charger power cord to the spray bottle. The system is powered by a 7.4 V Li-Ion rechargeable battery pack. A 100 to 240 V AC 50/60 Hz charger is included. Use only the charger provided.



Charge plug location



After Charging, it is important to securely push protective flap back in place.

Fill the Reservoir

Remove the fill cap to fill the reservoir with 14 oz of clean, cold potable water. While holding the unit in the horizontal position, fill reservoir about half full. Securely replace the fill plug. Turn bottle in vertical position and check fill line. Repeat until water reaches fill line. Do not overfill. Do not fill with hot water.



CAUTION

FILL WITH CLEAN, COLD POTABLE WATER ONLY. DO NOT OVERFILL THE BOTTLE. DO NOT RUN WATER INTO THE CHARGER PORT. WATER TEMPERATURE 40 °F to 86 °F (4 °C to 30 °C)


Prime the Spray Bottle

When new, or after long storage, the ozone generator cell in the bottle may become de-primed and dry. In this condition the blue light will not illuminate while spraying and the red and blue lights will flash twice when the trigger is released.

To prime the spray bottle, continue to spray with the blue light off until the blue light turns on and remains on. If the blue light does not illuminate after 2 minutes of spraying, adding ordinary table salt to the tank will help prime the ozone cell. Fill the tank with fresh tap water. Add and mix one teaspoon (5 grams) of salt into the tank. Spray out the entire tank of water into a sink. Fill the tank with fresh tap water and spray 30 seconds. Your bottle is now ready to use. The salt procedure may have to be repeated if the bottle sits unused for an extended period.

Sanitize Hard Non-Porous Surface


Hold the spray bottle 6 to 8 inches from the surface and spray evenly until wet. For 99.9% effectiveness against common pathogens allow to stand for 30 seconds. Wipe with a clean cotton or microfiber cloth or allow to air dry. No rinsing is necessary (leaves no residue). Ozone is generated on demand. While spraying, the blue indicator will light when the unit is operating properly. Improper use of this product may affect cleaning performance and may increase the risk of health effects.




Remove cap.




Fill approximately half full in horizontal position.




Secure fill plug.



Sit bottle on counter and check water level with fill line.



Hold 6-8" away from surface.



While spraying, blue light indicates unit is working properly.

4 PREVENTIVE MAINTENANCE/CLEANING

1. Charge unit nightly to ensure full capacity the next day.
2. Clean bottle with moistened cloth only. Do not use chemicals or cleaners.
3. When bottle use is finished for the day, empty any remaining water from the reservoir through the fill hole and leave the blue cap unplugged. Do not spray the bottle with an empty reservoir.

5 TROUBLESHOOTING

5.1 INDICATOR LIGHTS ON TOP OF BOTTLE

LIGHTED INDICATORS	SYSTEM MESSAGE
SOLID BLUE	System is operating properly
ONE RED FLASH	Battery is low
TWO RED FLASHES	Charger is connected, remove charger
THREE RED FLASHES	Battery needs recharging
TWO RED AND BLUE FLASHES	System fault; recharge and try again. If error persists, follow the Prime the Spray Bottle section on page 7. If error persists, contact service department.
ALL OTHER PROBLEMS	Contact service department

6 DECOMMISSIONING (STORAGE/DISPOSAL)

6.1 STORAGE

Before storing the bottle, spray about 3 oz of water from the bottle into a cup. Immediately empty out any remaining water from the reservoir and pour the 3 oz of sprayed water into the reservoir. Let the bottle stand for 2 minutes. Empty the reservoir through the fill plug and leave the blue cap unplugged to allow the reservoir to air dry. Do not spray the bottle with an empty reservoir.

6.2 DISPOSAL



Disassembly of the appliance must be performed by qualified specialists according to the manufacturer's instructions.

- Follow the local safety regulations.
- Dispose of the appliance in accordance with local regulations.
- It is essential that you observe the laws and regulations for the disposal of environmentally harmful substances. Obtain detailed information about their disposal – such substances include plastics and decommissioned battery packs and Li-Ion battery.

Special regulations apply when disposing of used electrical appliances:

The customer assumes responsibility for proper disposal of the delivered product after the end of its service life at the customer's own expense, in accordance with legal regulations.

7 SERVICE

7.1 Service and Warranty

The manufacturer warrants new equipment to be free of defects due to poor materials or workmanship for the period of time listed below (following the date of original installation):

- Two year replacement

Exclusions: Certain Enozo parts that are expendable by nature and that need to be replaced frequently may not be covered. Enozo is not liable under these warranties for repairs or damages due to improper operation, attempted repairs or installation by unauthorized persons, alterations, abuse, fire, flood, or acts of nature.

Additionally, this warranty may be voided in the case of:

- Failure to follow instructions for use, care or maintenance
- Removal, alteration or defacing of the serial number and other labels
- Service by a non-authorized service company
- Mechanical damage
- Use with any other fluids other than clean, potable water

This warranty is conditional upon receiving notice of any defect subject to this warranty within thirty (30) days of its original discovery by the Buyer.

For service or warranty questions, contact customer service.

7.2 Service Network - U.S. & Canada

Enozo Technologies, Inc.

Customer Service: 1-978-233-4847

support@enozo.com





EC Declaration of Conformity

1 August, 2017

We declare, under our own responsibility, that the following product, SB-100, which is covered by this declaration of conformity, complies with the EC Low Voltage Directive 73/23/EEC and with the EMC Directive 2004/108/EC, and is in conformity with the following harmonized standard: EN 60335-1:2012 and EN 55014:2012.

The CE marking is affixed to the device according to the EC directives.

Carl D. Lutz

Carl D. Lutz
Director of Manufacturing



このドキュメントは、改訂時の技術的ステータスを反映しています。
予告なく変更する場合がございますので予めご了承下さい。

日本語

CONTENTS

1	安全性.....	13
1.1	表示の意味について.....	13
1.2	適切にご利用について.....	13
1.3	安全にお使いいただく為の注意.....	13
1.4	重要な注意事項.....	14
2	本体仕様.....	14
3	本体の説明.....	15
3.1	本体の説明.....	15
3.2	各部の説明.....	15
3.3	商品の使い方.....	16
4	快適にお使い頂く為のお手入れ方法.....	18
5	トラブルシューティング.....	18
5.1	本体上部のランプ表示について.....	18
6	保管と廃棄方法について.....	19
6.1	保管について.....	19
6.2	廃棄について.....	19
7	安全にお使いいただく為の注意（必ずお守りください）.....	20-21
8	保証書.....	22

1 安全性



重要

最初に使用する前に、操作の安全性、使用、および保守に関する指示を注意深く読み、理解する必要があります。後で参照できるように、ユーザーマニュアルを機器の近くに保管してください。

1.1 表示の意味について



注意

軽傷または中程度の傷害を引き起こす可能性がある注意事項です。



警告

回避しないと、機器に損傷を与える可能性がある特記事項です。



重要なお知らせです。

1.2 適切にご利用について

Enozo PRO/HOMEスプレーボトルは、住宅用、商業用、および工業用を対象としています。本説明書の通りに使用すると安全に操作できるよう設計されています。以下の一般的な安全上の注意は、安全に使用するためのガイダンスを示しています。この取扱説明書に記載されている安全上の注意や警告にお従い頂けない場合、本機の安全基準に違反します。製造元は、ユーザーがこれらの要件に従わなかった場合の責任を負わないものとします。



- ご使用前に取扱説明書をお読みください。
- 本来の目的にのみ使用できます。
- 製品は、住宅用、商業用、および工業用を対象としています。
- 本機から警告ラベルを剥がさないでください。
- 飲用に適した水のみを補充してください。
- 本機を水に浸さないでください。柔らかい布で本機の外側をきれいにします。研磨性のあるクリーナーは使用しないでください。
- 貯水タンクに洗浄剤を入れないでください。

1.3 安全にお使いいただく為の注意



絶対に目にスプレーを吹き付けしないでください。目に入った場合は、目をきれいな水で5～10分間洗い流してください。刺激が続く場合は、医師の診察を受けてください。

- 地域および国のすべての規制に準拠して、適切に換気された場所のみで使用してください。
- オゾン臭が強すぎる場合は使用を中止してください。
- 呼吸器への刺激があった場合は、直ちに使用を中止してください。
- 本機を高温の熱や直火にさらさないでください。
- お子様の手の届かないところに保管してください。
- 本機を落とさないでください。

1.4 重要な注意事項

警告



本機に関する重要な特記事項です。

本機を落とさないでください。

- 本機を落とすと破損する恐れがあります。

きれいな飲料水のみを入れてください。

- ボトルにきれいな飲料水以外の液体を入れると、電解板が損傷し、製品が使用できなくなる可能性があります。

指定以上に水を補充しないで下さい。

- 水漏れを引き起こす可能性があります。

充電ポートを水で濡らさないでください。

- バッテリー/電子機器がショートする可能性があります。

2 本体仕様

仕様 SB-100/ SB-100HD	
材質	ポリカーボネイト / ABS耐衝撃性プラスチック
重量	0.9 kg / 0.7kg
外形寸法 (mm)	幅100×奥行100×高さ280mm / 幅100×奥行100×高さ240mm
ボトル容量	400 ml / 300ml
ボトル耐用温度	4℃～30℃
適用水質	水道水 (硬度250mg以下)
本体稼働温度	4℃～40℃
バッテリー	7.4V 1.8A/h
バッテリー保証	500回の充電
型番	SB-100/ SB-100HD
認定	CE, TUV, RoHS, WEEE
EPA設立番号	089373-MA-001

3 本体の説明


3.1 本体の説明

Enozo PRO/HOMEスプレーボトルは、従来のクリーナーや消毒液に代わる水由来の代替品を提供します。飲料水をオゾン水に変えます。本機は、硬くて非多孔質の表面に見られる多くの一般的な菌を抑制し、嫌な臭いを軽減します。

小さな電解板は、独自のダイヤモンドプロセス技術から作成され、オンデマンドでオゾン水を生成します。これにより、多くの化学物質を含んだ消毒液の使用が減り、常に供給品を買い足す必要がなくなります。さらに、残留物を残しません。

3.2 各部の説明

1. インジケーターLED
2. 充電ポート
3. スプレーノズル
4. ダイヤモンドセル
5. スプレートリガー
6. 充填口
7. 貯水タンク
8. バッテリーおよび制御電子機器



注：商品はイラストと異なる場合があります。

水ベースの消毒液

- 実績のある消毒液
- 一般的な病原菌を減らす
- 臭いの原因となる微生物を抑制

信頼できるオンデマンドソリューション

- オゾン(O₃)は必要に応じて活性化されます。
- 長持ちする充電式電池で動作します。
- 飲用に適した水のみが必要です。
- 消毒液がアクティブな時にランプが点灯してお知らせします。

従来のクリーナーや消毒液より優れた利点

- 残留物を残しません。
- 水を使用できるほとんどの表面に使用できます。
- 混合や希釈によるエラーを減らします。
- 成分:
 - 99.9998%水
 - 0.0002%オゾン
 - 香りは付与されていません。

3.3 商品の使い方

重要:ご使用前に必ずお読みください。


この製品は、硬い表面度、非多孔性、非食品接触および食品接触の表面を除菌します。

- テーブルやカウンター
- キッチンの各所
- 浴室内
- 扉や取っ手
- ペットの便臭
- 車内


充電方法

本機を初めて使用する前に、バッテリーを充電してください。最初の充電には最大4時間かかる場合があります。充電器の赤いライトが充電中であることを示します。充電が完了すると、充電器のライトは緑色に点灯します。注:本機はバッテリー充電器に接続中は使用できません。

バッテリー充電器を100~240 V AC 50 / 60Hz電源に接続します。バッテリーの電源コードをスプレーボトルに接続します。7.4Vのリチウムイオン充電式バッテリーパックを搭載しています。100~240 V AC 50 / 60Hzの充電器が含まれています。付属の充電器のみを使用してください。



充電プラグの位置



安全の為、充電後は保護フラップを元の位置にお戻しください。

貯水タンクへの補充手順


充填キャップを取り外して、水を補充します。本機を水平位置に保持しながら、補充します。タンクの約半分まで満タンです。充填キャップを元に戻します。お湯を入れしないでください。




キャップを外します。




水平位置で約半分を水で満たします。




充填キャップを固定します。



ボトルを置き、充填ラインで水位を確認します。



表面から15cm～20cm離してください。



スプレー中の青いライトはユニットが正常に動作していることを示します。



注意

清潔で冷たい飲料水のみを補充してください。ボトルを指定線以上いっぱいにはしないでください。充電ポートを水に濡らさないでください。適用水温 (4℃～30℃)

長期保管前/保管後のお手入れ方法

初めて使う場合、または長期間保管した後、ダイヤモンドセルは乾燥する場合があります。この状態では青ライトが点灯せず、赤と青のライトがトリガーを離すと2回点滅します。

最初に、青いランプが点灯するまでスプレーをし続けて下さい。もし、青いランプが2分以上スプレーしても点灯しない場合は下記方法により食卓塩を入れて下さい。タンクを水で満たした後、小さじ1杯(5g)の塩をタンクに入れて混ぜます。次にタンク内全ての水を流しなどにスプレーして下さい。再びタンクに水を入れ、30秒間スプレーします。これで使用する準備が整いました。長期間使用しなかった場合は、上記の手順を繰り返す必要があります。

硬い非多孔質表面を除菌する

本機を表面から15cm～20cm離し、スプレーします。一般的な菌に対して99.9%の有効性があります。布などで軽く拭き取ります。スプレー中、ユニットが正常に動作している時は青いランプが点灯しています。本機の不適切な使用は、除菌性能に影響を及ぼし、健康へのリスクを高める可能性があります。

4 快適にお使い頂く為のお手入れ方法

1. 本機を毎晩フル充電します。
2. 湿らせた布のみでボトルを清掃してください。化学薬品やクリーナー類は使用しないでください。
3. その日のボトルの使用が終了したら、貯水タンクの水を空にし、青いキャップを外したままにします。空の状態ではスプレーしないでください。

5 トラブルシューティング

5.1 本体上部のランプ表示について

ランプの表示	状態
青いランプが点灯	システムは正常です。
赤いランプが1個点灯	充電が少なくなっています。
赤いランプが2個点灯	充電器に接続されています。
赤いランプが3個点灯	充電が必要です。
赤いランプが2個と青いランプが点灯	システムエラーです。再度、充電してください。充電後もエラーが出る場合は商品の使い方ページの内容を試して下さい。それでもエラーが出る場合は販売元に問い合わせして下さい。
他の全ての問題について	販売元に問い合わせして下さい。

6 保管と廃棄方法について

6.1 保管について

ボトルを保管する前に、約90mlの水をスプレーします。残りの水を一旦空にした後、約90mlの水を注ぎ再び全てスプレーします。その後、ボトル容器を空にし、青いキャップを抜いたままにしてボトル容器を乾燥させます。ボトル容器に水がない状態では使用しないでください。本機の故障の原因に繋がる恐れがあります。

6.2 廃棄について



機器の分解は、製造元の指示に従って資格のある専門家が行う必要があります。

- 地域の安全規制に従ってください。
- 環境に有害な物質の処分に関する法規制を遵守してください。
- 本製品にはプラスチック、リチウムイオンバッテリーが含まれます。お住まいの自治体の廃棄ルールに沿って処分してください。

家電を廃棄する際のルールに従って処分を行ってください。

お客様は、法規制に従い、お客様の自己負担で、耐用年数が満了した製品を適切に廃棄する責任を負います。

7 安全にお使いいただくためのご注意

安全にお使いいただくためのご注意 (必ずお守りください)

- 本製品への蓄電は、必ず付属のACアダプターを使用し、AC100V(家庭用コンセント)でおこなってください。それ以外の電源では絶対に使用しないでください。それ以外で使用すると、発熱、発火、感電、けがの原因になります。
- ACアダプターのAC入力部および、本製品のDC入力部、AC出力部にピンなどの金属を差込まないでください。
- 本製品を水につけないでください。発熱、発火、内蔵電池の液漏れ、感電、破裂、けがの原因になります。
- 分解、改造などを絶対にしないでください。発熱、発火、内蔵電池の液漏れ、感電、破裂、けがをすることがあります。分解、改造などに起因する故障、トラブルに関しましては、弊社では責任を負いかねます。
- 誤飲などの危険性がありますので、乳幼児・小児の手の届かない場所で使用、保管してください。
- 本製品を定められた用途以外では、絶対に使用しないでください。
- 本製品を火中に投入したり、加熱したりしないでください。破裂、火災、けが、故障の原因になります。
- 本製品を落としたり、衝撃を与えないでください。事故、けが、故障の原因になります。
- 湿気やホコリの多いところで使用、保管をしないでください。発熱や発煙・発火の原因になります。
- 電池が漏液したり、異臭がする時には、直ちに火気より遠ざけてください。漏液した電解液に引火し、破裂、発火する原因になります。
- 本製品の使用、保管時の異臭、発熱、変色、変形、その他、今までと異なることに気づいた時は、直ちに使用を中止してください。使用継続の場合は電池が発熱、破裂、発火する原因になります。
- 火の近く・高温・多湿の場所での使用、ならびに充電、保管はしないでください。事故、故障の原因になります。
- 本製品には繰り返し充電できるリチウムイオン電池を内蔵しています。万一、内蔵電池が液漏れした場合は、素手で液を触らないでください。液が目に入った場合は、失明の原因になる恐れがありますので、目をこすらず、すぐに水道水などのきれいな水で十分に洗い、直ちに医師の治療を受けてください。また液が体や衣服についた時も、やけどやけがの原因になりますので、すぐに水道水などのきれいな水で十分に洗い流し、皮膚に炎症やけがの症状がある場合は、直ちに医師に相談してください。
- 本製品を踏みつけたりするような危険性がある場所に放置しないでください。けがや事故の原因になります。
- 極端な温度条件下では保管しないでください。※0℃～35℃内の環境下で保管してください。
- 5℃～30℃の環境でご使用ください。それ以外の温度の場所での充電は、本製品の性能を十分に発揮できません。また発熱、故障の原因となります。
- 重い物を載せたり、落下しやすい場所、磁気、ホコリの多い場所に置かないでください。発熱、発火、故障の原因になります。

- コンセントで充電する際、電源プラグが傷んだり、コンセントへの差し込みがゆるい場合は、使用しないでください。感電、ショート、発火の原因になります。
- 海外でご使用中にトラブルが発生しましても、海外での対応はいたしかねます。
- 本製品は金属部品やプラスチックでできております。燃やすと危険ですので、廃棄する時は各自自治体の指示に従った方法で、正しく廃棄してください。
- リチウムイオン電池には寿命があります。使用時間が極端に短くなりましたら、リチウムイオン電池の使用期限が近づいておりますので、新品の買い替えをご検討ください。
- ぐらついた台の上や傾いたところなど不安定な場所や高いところに置かないでください。
- 本製品の定格を超えて使用しないでください。定格を超えた負荷で使用すると発熱、発火の原因となります。

8 保証書

■ 保証書

型番： SB-100 / SB100HD	
■お客様	お名前： _____ 様
	ご住所： 〒 _____
	T E L： _____ — _____
■販売店	住 所： 〒 _____
	店 名： _____
	T E L： _____ — _____
保証期間： ご購入日より SB-100 2年間 SB-100HD 1年間	ご購入日： _____ 年 _____ 月 _____ 日

- 保証期間内に正常な状態でご使用の場合に限り品質を保証しております。万一保証期間内で故障が発生した場合は、弊社所定の方法で無償修理いたしますので、保証書を製品に添えてお買い上げの販売店までお持ちください。
- 次のような場合は保証期間内でも有償修理になります。
 - 保証書をご提示いただけない場合。
 - 所定の項目をご記入いただけない場合、あるいは字句を書き換えられた場合。
 - 故障の原因が取扱い上の不注意による場合。
 - 故障の原因がお客様による輸送・移動中の衝撃による場合。
 - 天変地異、ならびに公害や異常電圧その他の外部要因による故障及び損傷の場合。
 - 譲渡や中古販売・オークション・転売などでご購入された場合。
- お客様ご自身による改造または修理があったと判断された場合は、保証期間内での修理もお受けいたしかねます。
- 本製品の故障、またはその使用によって生じた直接、間接の損害については弊社はその責を負わないものとします。
- 修理ご依頼品を郵送、またはご持参される場合の諸費用はお客様のご負担となります。
- 保証書は再発行いたしませんので、大切に保管してください。
- 保証書は日本国内においてのみ有効です。



S3004-R08

Revision date: 08.07.2020